

SDS Revision Date: 12/08/2014

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity C 864 PETRO-GEL

Alternate Names Amorphous siliceous mineral silicate, XSORB Universal Spill

Clean-Up Super Absorbent, A sodium potassium alumina silicate of

various compositions.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended useSee Technical Data Sheet.Application MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name General Products & Supply, Inc.

101 Technology Lane Export, PA 15632 800-548-2080

Emergency

Customer Service: Impact Absorbents, Inc 800-255-3924

2. Hazard identification of the product

2.1. Classification of the substance or mixture

No applicable GHS categories.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

No applicable GHS categories.

[Prevention]:

No GHS prevention statements

[Response]:

No GHS response statements

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and



SDS Revision Date: 12/08/2014

Federal Hazardous Substances regulations.

| Ingredient/Chemical Designations | Weight % | GHS Classification | Note |
|---|----------|--------------------|--------|
| Amorphous Alumina Silicate Perlite CAS Number: 0093763-70-3 | 75 - 100 | Not Classified | [1][2] |

^[1] Substance classified with a health or environmental hazard.

4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation If a person sensitive to inert dust experiences coughing, remove the person to an area

clear of dust.

Eyes If dust particles lodge in eyes, use standard eye wash solutions or water and allow eyes to

clear.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview Inhalation: Congestion and irritation of throat, nasal passages and upper respiratory

systems. Persons sensitive to inert dust may experience coughing when exposed to heavy

concentration of airborne material.

Eyes: Temporary irritation and inflammation.

Target Organs: Lungs

Primary Routes of Entry (Exposure): Inhalation

Medical Conditions Aggravated by Exposure: Pre-existing upper respiratory and lung

disease such as, but not limited to bronchitis, emphysema and asthma.

Inhaling of high amounts of any nuisance dust over long periods may overload lung clearance mechanism and make lungs more vulnerable to respiratory disease.

See section 2 for further details.

5. Fire-fighting measures

5.1. Extinguishing media

Use media appropriate for surrounding area.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Reacts with Hydrofluoric Acid to form toxic silicon tetra fluoride gas.

^[2] Substance with a workplace exposure limit.

^[3] PBT-substance or vPvB-substance.

^{*}The full texts of the phrases are shown in Section 16.



SDS Revision Date: 12/08/2014

5.3. Advice for fire-fighters

None applicable if product is unused. If used to absorb flammable liquids, then consult SDS of the flammable liquid.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Containment Procedures:

Sweep with broom. If product is dry and dusty, add water to suppress dust. If a water spill occurs skim or net material from water.

Clean-Up Procedures:

Wastes are not hazardous as defined by the Resource Conservation and Recovery Act (RCRA; 40 CFR 261). Comply with state and local regulations for disposal of these products. If used to collect liquid material, dispose in compliance with MSDS of collected liquid.

7. Handling and storage

7.1. Precautions for safe handling

Maintain good housekeeping practice. Remove material after absorption has taken place. Reseal container after use to prevent evaporation of wetting agent.

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Hydrofluoric Acid

Warehouse storage should be in accordance with package directions, if any. Material should be kept dry and protected from the elements.

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

| CAS No. | Ingredien | Source | Valu |
|--------------|------------------------------------|--|----------------------|
| 0093763-70-3 | Amorphous Alumina Silicate Perlite | OSHA TWA 15 mg/m3 (total) TWA 5 mg/m3 (resp) | |
| | | ACGIH | No Established Limit |



SDS Revision Date: 12/08/2014

| NIOSH | TWA 10 mg/m3 (total) TWA 5 mg/m3 (resp) |
|----------|---|
| Supplier | No Established Limit |

The exposure limits for nuisance dust are: OSHA PEL: 15 mg/m3 (50 mppcf*) TWA, ACGIH 10 mg/m3.

Carcinogen Data

| CAS No. | Ingredien | Source | Valu | | |
|--------------|------------------------------------|--------|--|--|--|
| 0093763-70-3 | Amorphous Alumina Silicate Perlite | OSHA | Select Carcinogen: No | | |
| | | NTP | Known: No; Suspected: No | | |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No; | | |

8.2. Exposure controls

Respiratory Even though classified as a nuisance dust and treated with anti-dust wetting agent, we

recommend use of NIOSH approved dust respirator when excessive dust concentrations

are airborne.

Eyes Safety glasses/goggles usually not necessary

Skin Not applicable

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

9. Physical and chemical properties

Appearance White or Buff aggregate or powder solid Particles

Odor No

Odor threshold Not Measured

pH NA

Melting point / freezing point 2400 F

Initial boiling point and boiling range NA

Flash Point NA

Evaporation rate (Ether = 1) NA

Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: NA

Upper Explosive Limit: NA

Vapor pressure (Pa) NA



SDS Revision Date: 12/08/2014

Vapor Density NA

SpecificGravityNeutral = 2.28Solubilityin Water< 1% Slightly</th>Partition coefficient n-octanol/water (Log Kow)Not Measured

Auto-ignition temperature NA
Decomposition temperature NA
Viscosity (cSt) NA
VOC % NA

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Hydrofluoric Acid

10.6. Hazardous decomposition products

Reacts with Hydrofluoric Acid to form toxic silicon tetra fluoride gas.

11. Toxicological information

Acute toxicity

| Ingredien t | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapor LD50, | Inhalation Dust/Mist LD50, mg/L/4hr | Inhalation Gas LD50, pp |
|---|---------------------|---------------------|------------------------------|---|-------------------------------|
| Amorphous Alumina Silicate Perlite - (93763-70-3) | No data available | No data available | No data available | No data available | No data available |

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Classification | Category | Hazard Description |
|----------------|----------|--------------------|



SDS Revision Date: 12/08/2014

| Acute toxicity (oral) | Not Applicable |
|-------------------------------|--------------------|
| Acute toxicity (dermal) | Not Applicable |
| Acute toxicity (inhalation) | Not Applicable |
| Skin corrosion/irritation | Not Applicable |
| Serious eye damage/irritation | Not Applicable |
| Respiratory sensitization | Not Applicable |
| Skin sensitization | Not Applicable |
| Germ cell mutagenicity | Not Applicable |
| Carcinogenicity | Not Applicable |
| Reproductive toxicity | Not Applicable |
| STOT-single exposure | Not Applicable |
| STOT-repeated exposure | Not Applicable |
| Aspiration hazard | Not Applicable |



SDS Revision Date: 12/08/2014

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Eco toxicity

| Ingredien | 96 hr LC50 fish, | 48 hr EC50 crustacea, | ErC50 algae, |
|---|------------------|-----------------------|---------------|
| | mg/l | mg/l | mg/l |
| Amorphous Alumina Silicate Perlite - (93763-70-3) | Not Available | Not Available | Not Available |

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bio accumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA Transportation) **Transportation**) 14.1. UN number Not Applicable Not Regulated Not Regulated 14.2. UN proper shipping Not Regulated Not Regulated Not Regulated **DOT Hazard Class: Not IMDG:** Not Applicable 14.3. Transport hazard Air Class: Not Applicable class(es) Applicable Sub Class: Not Applicable 14.4. Packing group Not Applicable Not Applicable Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information



SDS Revision Date: 12/08/2014

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory.

WHMIS Classification Not Regulated

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): No Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

Crystalline Silica - Quartz

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

N.J. RTK Substances (>1%):

Amorphous Alumina Silicate Perlite

Penn RTK Substances (>1%):

Amorphous Alumina Silicate Perlite

SDS Revision Date: 12/08/2014

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is: Not applicable

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The information herein is presented in good faith and believed to be accurate as of the effective date given. However, no warranty, expressed or implied, is given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial and local laws.

End of Document