BREAKDOWN GTID digests, liquefies, loosens and removes complex organic wastes such as fats, oils, greases, cellulose, proteins, and starches. Regular use reduces the frequency of hand cleaning of grease traps and interceptors. **BREAKDOWN GTID** contains no dangerous acids or alkalis and is harmless to plumbing lines, fixtures, and septic tanks. **BREAKDOWN GTID** instantly destroys all odors from sewage and plumbing and eliminates the source of odors. **BREAKDOWN GTID** is totally free of pathogenic bacteria and each batch is thus certified. The most favorable time for use is at the end of the day's activities. The reason for this is to allow **BREAKDOWN GTID** to develop maximum bacterial action while there is little use of the fixture of facility.

DIRECTIONS

GREASE TRAPS: Dosage of **BREAKDOWN GTID** is dependent on size of grease trap, system flow and grease loading. The following dosages are recommendations only but reasonable starting points for treatment. Feed into drain line feeding grease trap.

Loading Volume	Size	Dose
Low Volume	Up to 500 GAL	4-10 OZ per day
Medium Volume	500-1500 GAL	18-32 OZ per day
High Volume	1,500+ GAL	32-44 OZ per day

BREAKDOWN GTID may be used to help keep all drains and related plumbing fixtures free-flowing and odor free. SINKS, TUBS, AND SHOWERS: 4 OZ weekly per drain. TOILETS: 4 OZ monthly per fixture. URINALS: 4 OZ weekly per fixture.



GENERAL MAINTENANCE PRODUCTS

BREAKDOWN GTID*

*Grease Trap & Interceptor Digestor

- Reduces system backups
- Controls odor problems
- Reduces frequency of clean out
- May eliminate surcharges

CAUTION: Do not take internally. See side panel for additional information.

KEEP OUT OF REACH OF CHILDREN NET CONTENTS: 1 LITER (33.8 FL. OZ.)

PRECAUTIONS

Use caution. Contains living bacterial suspension (CAS No. N/A MIXTURE). Store in a cool dry place. Keep from freezing. Avoid excessive inhalation.

FIRST AID

IF IN EYES: Flush with clear, cool water for at least 15 minutes. Get medical attention.

IF ON SKIN: Wash thoroughly with clear water. **IF SWALLOWED:** Do not induce vomiting. Drink several glasses of water or milk to dilute stomach contents. Get medical attention. **INHALATION:** Remove patient to fresh air.

KEEP OUT OF REACH OF CHILDREN

